

IN THE CLAIMS:

Please amend the claims as indicated below.

1. (Currently Amended) A method for wireless communication among first and  
5 second integrated circuit devices within an enclosure, said method comprising the steps of:  
transmitting a signal using a first antenna associated with said first integrated  
circuit device in accordance with an ultra wide band wireless standard; and  
receiving said signal using a second antenna associated with said second  
integrated circuit device within said enclosure, wherein at least one of said first and second  
10 antennas is a pin on said first or second integrated circuit device.
2. (Original) The method of claim 1, wherein said first and second antennas are  
incorporated in said first and second integrated circuit devices.
- 15 3. (Cancelled)
4. (Previously Presented) The method of claim 2, wherein at least one of said first  
and second antennas is fabricated on said first or second integrated circuit device.
- 20 5. (Original) The method of claim 1, wherein said signal comprises one or more  
channels.
6. (Original) The method of claim 1, wherein one or more signals are transmitted by  
said first antenna using one or more associated sub-carrier frequencies.
- 25 7. (Original) The method of claim 1, wherein said signal is time-division  
multiplexed.
8. (Original) The method of claim 1, wherein said signal is frequency-division  
30 multiplexed.

9. (Original) The method of claim 1, wherein said signal is spatially multiplexed.

10. (Original) The method of claim 1, wherein said enclosure is a housing of a self-contained device.

5

11. (Cancelled).

12. (Cancelled).

10 13. (Cancelled).

14. (Currently Amended) A method for wireless communication by an integrated circuit device within an enclosure, said method comprising the step of:

15 transmitting a signal using an antenna associated with said integrated circuit device in accordance with an ultra wide band wireless standard to a second integrated circuit device within said enclosure, wherein said antenna is at least one pin of said integrated circuit device.

15. (Original) The method of claim 14, wherein said signal comprises one or more  
20 channels.

16. (Original) The method of claim 14, wherein said enclosure is a housing of a self-contained device.

25 17. (Currently Amended) An integrated circuit device within an enclosure, comprising:

at least one circuit for transmitting a signal in accordance with an ultra wide band wireless standard; and

30 an antenna for transmitting said signal in accordance with said ultra wide band wireless standard to a second integrated circuit device within said enclosure, wherein said antenna is at least one pin of said integrated circuit device.

18. (Original) integrated circuit device of claim 17, wherein said signal comprises one or more channels.

19. (Original) The integrated circuit device of claim 17, wherein said enclosure is a  
5 housing of a self-contained device.

20. (Original) The integrated circuit device of claim 17, wherein said antenna is incorporated in said integrated circuit device.

10 21. (Cancelled).